


Analysis 2



Example A2-15 The final cadence—the merging of set classes 4-1 (0123) and 4-21 (0246) within the tritone B-E.

BIBLIOGRAPHY

The eleventh song from Schoenberg's *Book of the Hanging Gardens* has been analyzed briefly by Tom Denske ("Registral Centers of Balance in Atonal Works by Schoenberg and Webern," *In Theory Only* 9/2-3 (1986), pp. 60-76), and in great and compelling detail by David Lewin ("Toward the Analysis of a Schoenberg Song (Op. 15, No. 11)," *Perspectives of New Music* 12/1-2 (1973-74), pp. 43-86). My own discussion is heavily indebted to the latter.


Bartók's String Quartet No. 4 has been analyzed from many points of view. See Elliott Antokoletz, *The Music of Béla Bartók: A Study of Tonality and Progression in Twentieth-Century Music* (Berkeley and Los Angeles: University of California Press, 1984); Milton Babbitt, "The String Quartets of Bartók" (1949), reprinted in *The Collected Essays of Milton Babbitt*, pp. 1-9; George Perle, "Symmetrical Formations in the String Quartets of Béla Bartók," *Music Review* 16 (1955), pp. 300-312; Roy Travis, "Tonal Coherence in the First Movement of Bartók's Fourth String Quartet," *Music Forum* 2 (1970), pp. 298-371; and Leo Treitler, "Harmonic Procedures in the Fourth Quartet of Béla Bartók," *Journal of Music Theory* 3 (1959), pp. 292-98.

Chapter 3

Some Additional Relationships

Common Tones under Transposition (T_n)

The major scale contains six instances of interval class 5, so there will be six common tones when the scale is transposed up or down by five semitones (T_5 or T_7). (See Example 3-1b.)



Example 3-1 Common tones under transposition.

To understand why it works this way, concentrate on the mappings involved. When a set is transposed at T_n , each member of the set maps onto a note that lies n semitones higher. If two of the notes in the set were n semitones apart to begin with, transposing by n semitones maps one of the notes onto the other, producing one common tone. That mapping will happen as many times as there are occurrences of interval n in the set. In other words, for every occurrence of a given interval n , there will be one common tone under T_n .

For example, consider the operation T_3 applied to $[4, 5, 7, 8]$, a member of set class 4-3 (0134). There are two occurrences of interval class 3 in the set, between 4 and 7 and between 5 and 8. As a result, when the set is transposed up three semitones, the 4 maps onto the 7 and the 5 maps onto the 8. Similarly, when it is transposed down three semitones (T_3), the 8 maps onto the 5 and the 7 onto the 4 (see Figure 3-1).

$$[4, 5, 7, 8] \xrightarrow{T_3} [7, 8, 10, 11]$$

$$[4, 5, 7, 8] \xrightarrow{T_9} [1, 2, 4, 5]$$

$$[4, 9, 10] \xrightarrow{T_6} [10, 3, 4]$$

Figure 3-2

To figure out quickly how many common tones a set will have at any transposition level, just look at its interval-class vector. The vector tells you how many times each interval class occurs in any set, which also tells you how many common tones there will be under T_n for any value of n . Set 4-3 (0134), for example, has the vector 212100, and will therefore retain two common tones at T_1 (or T_{11}) and T_3 (or T_9) and a single common tone at T_2 (or T_{10}) and T_4 (or T_8). It will retain no common tones at T_5 , T_6 , or T_7 . These results will hold for all members of the set class. Notice, in Example 3-2, how Stravinsky uses common tones in a passage from *Agon* to create a chain of members of set class 4-3, linked by their common tones. Transposition at T_4 produces one common tone, while transposition at T_{11} and T_3 produces two common tones each. The overall motion, T_6 , produces no common tones because the set being transposed contains no 6s.

The interval-class vector for the major scale, set class 7-35 (013568T), is 254361. Notice that it has a different number of occurrences of each interval class. As a result, it will have a different number of common tones at each transpositional level

$$[E, F, G, A^b] \xrightarrow{T_4} [A^b, A, B, C] \xrightarrow{T_{11}} [B^b, B, D^b, D] \xrightarrow{T_3} [C, D, E^b, E] \xrightarrow{T_6} [D, E, F, G]$$

$$[E, F, G, A^b] \xrightarrow{T_4} [A^b, A, B, C] \xrightarrow{T_{11}} [B^b, B, D^b, D] \xrightarrow{T_3} [C, D, E^b, E] \xrightarrow{T_6} [D, E, F, G]$$

Example 3-2 A chain of members

insky, *Agon*).

[1,3,6,9]	
$1 + 1 = 2$	
$3 + 3 = 6$	Each of these sums represents
$6 + 6 = 0$	one common tone.
$9 + 9 = 6$	

Figure 3-5

For each of these sums, there will be one common tone under $T_n I$ for that value of n .

We can compile all of these sums for [1,3,6,9] into what we will call an *index vector*, remembering that the sums of different elements will yield two common tones, while the sums of elements with themselves will yield one common tone. For each of the twelve possible values of n , we can list the number of common tones under $T_n I$ (see Figure 3-6).

3	4	7	8
6	7	10	11
7	8	11	0
10	11	2	3
11	0	3	4

Figure 3-7

This table neatly performs all of the additions required; it adds each element to each other element twice and adds each element to itself once. As a result, each occurrence of a number inside the table represents a single common tone. The number 11 occurs four times, so there will be four common tones at $T_{11} I$; the number 3 occurs twice, so

there will be two common tones at $T_3 I$; and so on. It is easy to rearrange this information in the form of an index vector, or simply to read it directly from the table.

This addition table has another advantage—it shows not only how many tones will be held in common under $T_n I$, but also which ones. Each index number in the table lies at the intersection of two tones. Those are the tones mapped onto one another by that index number. In the table in Figure 3-7, for example, 10 occurs at the intersection of 3 and 7; 3 and 7 are thus held in common at $T_{10} I$. Similarly, 8 occurs in the table at the intersection of 4 with itself, so 4 will be held in common at $T_8 I$.

Appendix 2 lists index vectors for the prime-form of each set class and for the set related by $T_0 I$ to the prime form. Unlike the interval vector, the index vector is not the same for every member of a set class. Fortunately, once you know the index vector for the prime form and for its $T_0 I$, the index vectors for all the remaining members can be deduced easily from the simple rules given in Appendix 2. The interval-class vectors in Appendix 1 and the index vectors in Appendix 2 should enable you to find the number of common tones any niche-class set will retain under T_n or $T_n I$.

ten. The common pitch class is expressed as a common pitch.

The same thing is true of the $T_n I$ -related pair in measure 3. The index vector for the first set, [8,9,0], is 100012102200; the index vector for the second set, [0,3,4], is 100220121000. You could discover that either by simply doing an addition table for the sets, as discussed earlier, or by looking up the vectors in Appendix 2 (and performing the proper rotations). Both index vectors show that each of these sets holds one common tone at $T_0 I$. Since they are related by $T_0 I$, that means they will share a single pitch class. That common tone is C, which is retained here not only in the same register but in the same instrument. In measure 9, the two $T_3 I$ -related forms of 3-3 share two common tones, C and E_♭. Notice how Webern arranges these notes to sound together simultaneously. He thus uses common tones under both T_n and $T_n I$ to create smooth, continuous voice leading as the music progresses among the members of set class 3-3 (014).

Inversional Symmetry

Some set classes contain sets that can map entirely onto themselves under inversion. Such set classes are said to be *inversionally symmetrical* and, of the 220 set classes listed in Appendix 1, seventy-nine have this property. The index vector for a set with this property will have an entry equal to the number of notes in the set.

Sets that are inversionally symmetrical can be written so that the intervals reading from left to right are the same as the intervals reading from right to left. Usually, but not always, this intervallic palindrome will be apparent when the set is written in normal form. Occasionally, a note has to be written twice to capture the modular wraparound (see Figure 3-8).




Figure 3-8 Three sets written to display their inversional symmetry.

Vebern, Movements

Example 3-3 Common tones under T_8 for String Quartet, Op. 5, No. 3).







Figure 3-9

In inversionally symmetrical sets, all the notes in the set are mapped either onto other notes in the set or onto themselves under some T_n . Every note in the set has an inversional partner also in the set.

Schoenberg's *Orchestra Piece Op. 16, No. 3* begins with the five note chord displayed around a pitch-class clockface in Example 3-4A (the musical score can be found back in Example 2-3). The symmetry of the chord should be apparent—each note of the chord has an inversional partner also within the chord, and the E balances itself as a center of symmetry. It would be easy to write such a chord so as to realize its symmetry in pitch space: the three chords in Example 3-4B arrange those five pitch classes so that they describe the same pitch intervals reading from bottom to top as they do from top to bottom. These three chords are *pitch symmetrical*—they are symmetrical in register and their pitch intervals form a palindrome. Any symmetrical pitch-class set can be arranged symmetrically in pitch space. But that is not what Schoenberg did. His actual chord, shown in Example 3-4C, is *pitch-class*

A) 

B) 


C) 

Example 3-4 Inversional symmetry: A) Schoenberg's chord written on a pitch-class clockface; B) three hypothetical pitch symmetrical arrangements; C) Schoenberg's actual arrangement—symmetry of pitch class, not pitch.

symmetrical, but not pitch symmetrical. The inversional symmetry is still there—

Moderato poco Allegro






Example 3-5 Inversionally symmetrical sets (Boulez, *Le Marteau sans Maître*, "L'Artisanat furieux," mm. 6-9, vocal part).

Some of these are arranged pitch-symmetrically, but most are not. Compare, for example, the two forms of sc4-3 (0134): [A, B $\flat$, C, C $\sharp$] at the beginning of the melody and [C $\sharp$, D, E, F] at the end. The first one is asymmetrical in pitch space (the B $\flat$ would have had to be an octave lower to make it pitch symmetrical), while the second is pitch symmetrical—its pitch intervals are the same reading from bottom to top as from top to bottom.

While inversional symmetry is an important compositional resource generally, it can play a particularly decisive role when the symmetry is realized in pitch space. Any member of set class 3-1 (012), for example, is abstractly symmetrical no matter how it is deployed, but its symmetry can be dramatically reinforced by the arrangement of the notes in register. See, for example, how Varèse arranges the set [C, C $\sharp$, D] at the beginning of *Hyperprism* (Example 3-6).



Example 3-6 Pitch symmetry (Varèse, *Hyperprism*, mm. 1-12, percussion parts omitted).

C $\sharp$ enters in a middle register in the tenor trombone, soon reinforced by horns. At the end of measure 4, D comes in twenty-three semitones below and then, in measure 12, the low D is balanced symmetrically by the high C, 23 semitones above the middle C $\sharp$. A vast pitch space is articulated symmetrically, and the symmetry is reinforced by the grace notes in measure 4 (involving the F four semitones above C $\sharp$) and the quick embellishment in measure 11 (involving the A four semitones below C $\sharp$). In this passage, C $\sharp$ is literally the central tone. The role of inversional symmetry in establishing a sense of pitch centrality is a topic to which we will return in Chapter 4.

Like set classes that are transpositionally symmetrical, those that are inversionally symmetrical can be easily identified in Appendix 1. In the middle column, the number after the comma measures the degree of inversional symmetry—it tells the number of inversional levels that map a set onto itself. Many sets cannot map onto themselves under inversion, and thus have a degree of inversional symmetry that is 0. Some sets can map onto themselves at one or more than one inversion levels. The set 3-6 (024), for example, has a degree of symmetry of (1, 1). It maps onto itself at one transpositional level (T_0) and one inversional level (in this case, T_4J). The most symmetrical set of all is the whole-tone scale; it maps onto itself at six transpositional and six inversional levels.

Inversional symmetry is a reasonably common property, but inversional symmetry at more than one level is rare—only the eleven set classes listed in Figure 3-10 have that property.

Degree of

Figure 3-10

It is interesting to compare this list with the list of transpositionally symmetrical sets in Figure 3-3. Virtually all of the set classes that are transpositionally symmetrical are also inversionally symmetrical at more than one level (6-30 is the only exception), and every set class that is inversionally symmetrical at more than one level is also transpositionally symmetrical. And, as noted earlier, set classes with one or both of these properties have often proven attractive to composers, including the augmented triad (3-12), the diminished seventh chord (4-28), and the hexatonic (6-20), whole-tone (6-35), and octatonic (8-28) scales.

The greater the number of operations that map a set onto itself, the smaller the number of distinct sets in the set class. Most set classes have a degree of symmetry of (1,0) and contain twenty-four distinct sets. For all set classes, dividing the number of self-mapping operations into twenty-four will give you the number of sets in the set class. Let's use the prime-form of set 4-9 (0167) as an example to see why this is so. The set-class 4-9 has a degree of symmetry of (2,2). The four operations that map it onto itself are T_0 , T_6 , T_1 , and T_7 . (This can be figured out by looking at the interval-

class and index vectors.) Now consider another member of this set class, [1,2,7,8]. This is simultaneously T_1 , T_7 , T_2 , and T_8 of [0,1,6,7]. Each member of the set class can be created by four different operations:

[0,1,6,7]	T_0 , T_6 , T_1 , T_7
[1,2,7,8]	T_1 , T_7 , T_2 , T_8
[2,3,8,9]	T_2 , T_8 , T_3 , T_9
[3,4,9,10]	T_3 , T_9 , T_4 , T_{10}
[4,5,10,11]	T_4 , T_{10} , T_5 , T_{11}
[5,6,11,0]	T_5 , T_{11} , T_6 , T_0

But there are only twenty-four possible operations in all—twelve values of n for T_n and twelve values of n for T_nJ . As a result, twenty-four divided by the number of operations that will produce each member of the set class equals the number of dis-

pairs of hexachords) that have the same interval-class content, but are *not* related to each other by either transposition or inversion and thus are *not* members of the same set class. Sets that have the same interval content but are not transpositions or inversions of each other are called *Z-related sets*, and the relationship between them is the *Z-relation*. (The *Z* stands for “zygotic,” meaning “twinned.”)

Sets in the *Z*-relation will sound similar because they have the same interval-class content, but they won't be as closely related to each other as sets that are members of the same set class. If the members of a set class are like siblings within a tightly knit nuclear family, then *Z*-related sets are like first cousins.

Composers have been particularly interested in the two “all-interval” tetrachords: 4-Z15 (0146) and 4-Z29 (0137). They are called all-interval tetrachords because, as suggested by their shared interval-class vector, 111111, both tetrachords contain one occurrence of each of the six interval classes. Example 3-7 contains two passages from Elliott Carter's String Quartet No. 2. In the first passage (Example 3-7A), the second violin plays two 3s (E-G and F-A $\flat$) while the viola plays two 6s (C-F $\sharp$ and E-A) in this quartet Carter often differentiates instruments in this way by assigning each a distinctive interval. The vertical combination of those intervals produces either 4-Z15 or 4-Z29. In the second passage (Example 3-7B), a form of 4-Z15 is stated melodically in the second violin while the other three instruments combine to create a form of 4-Z29.

A)

447

v.2

[C, E, F#, G] [Eb, E, G, A] [Eb, F, Ab, A]

4-Z29 (0137) 4-Z15 (0146) 4-Z15 (0146)

447

v.2

[E, Ab, Bb, B]

4-Z29 (0137)

[D, D, F, G]

4-Z15 (0146)

Example 3-7 The Z-relation (Carter, String Quartet No. 2).

In Example 3-8, the familiar beginning of the first of Schoenberg's Piano Pieces, Op. 11, the Z-relation creates a strong connection between the opening six-note melody and the left-hand accompanimental figure that follows.

Any set with a Z in its name has a *Z-correspondent*, another set with a different prime form but the same interval vector. On the set list in Appendix 1, the Z-related hexachords are listed across from one another, but you will have to look through the list for the Z-related sets of other sizes.

1

Melbiege 6-Z10 (013457)

5

6-Z39 (023458)

Example 3-8 The Z-relation (Schoenberg, Piano Piece, Op. 11, No. 1).

Complement Relation

SIZE OF THE SETS (EXCEPT FOR THE TRITONE, IN WHICH CASE THE FORMER WILL BE HALF THE LATTER).

If a tetrachord has the interval-class vector 021030, its eight-note complement will have the vector 465472. The eight-note set has four more of everything (except for the tritone, of which it has two more). The larger set is like an expanded version of its smaller complement.

Because interval content is not changed by transposition or inversion, this intervallic relationship remains in force even when the sets are transposed or inverted. Thus, even if the sets are not *literally complementary* (i.e., one contains the notes excluded by the other), the intervallic relationship still holds so long as the sets are *abstractly complementary* (i.e., members of complement-related set classes). For example, [0,1,2] and [0,1,2,3,4,5,6,7,8] are not literal complements of each other. In fact, all the members of the first set are contained in the second. However, they are members of complement-related set classes and thus have a similar distribution of intervals. Complement-related sets do not have as much in common as transpositionally or inversionally related sets, but they do have a similar sound because of the similarity of their interval content.

The affinity of complement-related set classes extends beyond their intervallic content. Complement-related set classes always have the same degree of symmetry and thus the same number of sets in the class. If set X is Z-related to set Y, then the complement of X will be Z-related to the complement of Y. There are the same number of trichord- and nonachord-classes (12), of tetrachord- and octachord-classes

its complement by T_n or T_n^I , then it is self-complementary. If not, then it is Z -related to its complement. The hexachords on the list are thus either written with nothing across from them or they are written across from their Z -correspondents. This inter-vallic relationship between complementary hexachords is extremely important for twelve-tone music, and we will discuss it further in subsequent chapters.

Subset and Superset Relations

If set X is included in set Y , then X is a subset of Y and Y is a superset of X . A set of n elements will contain 2^n (2 to the n th power) subsets. A five-note set, for example, will contain the following subsets: the null set (a set containing no elements), five one-note sets, ten two-note sets (these are also called intervals), ten three-note sets, five four-note sets, and one five-note set (the original set itself). That makes a total of 2^5 (2 to the 5th power) or thirty-two subsets. The null set, the one-note sets, and the



Figure 3-11

Most set classes are not as restricted in their subset content as this one, but there is often some redundancy.

To get a complete picture of the subset content of a set, it may be useful to construct an *inclusion lattice*, which lists all of the subsets of a given set as well as the subsets of those subsets. Figure 3-12 contains an inclusion lattice for set-class 6-20





Figure 3-12

(014589), a set class also known as the hexatonic collection (to be discussed in Chapter 4). All six of the five-note subsets of 6-20 are members of set-class 5-21. The five four-note subsets of 5-21 in turn represent four different tetrachord classes, and these contain certain trichord classes as their subsets.

The final six-note chord of Schoenberg's Op. 19, No. 2 (discussed earlier with reference to Example 3-10), is a member of set-class 6-20—see Example 3-11. Schoenberg has arranged the chord so that its highest and lowest four notes represent set-class 4-19 and its highest and lowest three notes are augmented triads (set-class 3-12). Comparing the music in Example 3-11 with the inclusion lattice in Figure 3-12 gives a sense of what Schoenberg did in relation to what he might have done.



SPECIFIC MUSICAL CONTEXT. TAKE ANY SIX-NOTE SET, THE FINAL SONORITY OF SCHOENBERG'S

Little Piano Piece contains many subsets, but only a small number of those can be heard as meaningful musical groupings, identified by shared register or articulation. For example, it makes no musical sense to combine the G in the middle register with the top three notes— F_4 , B_4 , D_5 —even though that combination creates another form of set class 4-19 (0148). Those four notes simply don't belong together musically. With the same final six-note sonority, Schoenberg could have grouped G , F_4 , B_4 , and D_5 together, but chose not to. Similarly, he could have revoiced the sonority to emphasize subsets that were members of set classes other than 4-19, but again he chose not to. The subsets of a set are a kind of abstract musical potential; the composer chooses which to emphasize and which to repress.

As with the complement relation, the subset/superset relation can be either literal or abstract. Set X is a literal subset of Set Y if all of the notes of X are contained in Y . Set X is the abstract subset of Set Y if any transposed or inverted form of X is contained in Y , that is, if any member the set class that contains X is found among the subsets of Y . $[E, F, G]$ is the literal subset of $[C_4, D, E, F, G]$. The T_5 transposition of $[E, F, G]$, $[A, B, C]$, is not a literal subset of $[C_4, D, E, F, G]$. But the set-class that contains it, 3-2 (013), can be found among the literal subsets of $[C_4, D, E, F, G]$ —both $[C_4, D, E]$ and $[E, F, G]$ represent it. So $[A, B, C]$ is an abstract, not a literal, subset of $[C_4, D, E, F, G]$. In the same abstract sense, we would say that set-class 3-2 is a subset of set-class 5-10.

In both the literal and abstract senses, these “inclusion” relations are not as strong as many of the relationships discussed earlier, like the Z -relation or the complement relation, but can still be musically interesting. Smaller collections can frequently be heard combining into larger ones and larger collections dividing into smaller ones.

Transpositional Combination

The process of combining smaller sets to form larger ones and dividing larger sets into smaller ones is particularly interesting when the smaller sets are related by inversion or transposition. We have already discussed inversive symmetry. Any time you combine two sets related by inversion, you get a set that is inversionally symmetrical. Conversely, any inversionally symmetrical set can be divided into at least one pair of inversionally related subsets. *Transpositional combination* (TC) is the combination of a set with one or more transpositions of itself to create a larger set. The larger set, which can

Example 3-12 Transpositional combination (Stravinsky, *Symphony of Psalms*, first movement).

Another ip_3 , $E-G$, follows immediately a semitone lower. That combination of two 3s a semitone apart is written $3*1$, where the asterisk stands for “transposed by.” One also could think of the figure as two semitones ($E-F$ and $G-Ab$) related at T_3 , or $1*3$. Either way, that combination of 1 and 3 produces a form of $sc4-3$ (0134). The same combination produces a different member of the same set class, $[Bb, B, C, D]$ in the alto voice (oboes and english horn). These two tetrachords, created by transpositional combination, are themselves combined at T_6 to create an eight-note set. We can summarize the process as: $(3*1) * 6$. In other words, a 3 is transposed by 1, and the resulting tetrachord is transposed at T_6 . The passage can thus be built up from its smallest components through transpositional combination.

Contour Relations

Throughout this book thus far we have focused on pitches, pitch classes, and their

Example 3-13 A recurring contour-segment (CSEG) (Crawford, *String Quartet*, first movement, mm. 6–7).

The fragments are intervallically distinct, and represent three different set classes. But their contours are the same. Each begins on its second-highest note, continues with its lowest and its second-lowest notes, and concludes on its highest note. In Example 3-13, that contour is represented as a string of numbers enclosed within angle-brackets: $\langle 2013 \rangle$. The notes in each fragment are assigned a number based on their relative position in the fragment. 0 is assigned to the lowest note, 1 to the next-lowest, and so on. The highest note will always have a numerical value that is 1 less than the number of different notes in the fragment. The numbers are then arranged, in order, to describe the musical contour. $\langle 2013 \rangle$ is a *contour segment*, or *CSEG*, and this intervallically varied melody is unified, in part, by three presentations of that single CSEG.

At the end of the movement, the second violin has a varied version of the same melody (see Example 3-14).

a. *p cantando*

b. *p cantando*

c. *p cantando*

Example 3-14 Members of a CSEG-class (Crawford, String Quartet, first movement, mm. 72-75).

retrograde-inversion—each is the inverted and backwards version of the other.

Like pitch-class sets, CSEGs can be gathered into CSEG-classes. CSEGs related by inversion, retrograde, or retrograde-inversion belong to the same CSEG-class. The three CSEGs of Example 3-14, and one more that is not shown, <3102>, are the four members of a single CSEG-class. Crawford's violin melody seems to be interested in the reshaping of this basic shape. Of the four members of this CSEG-class, we select the one that begins on the lowest note to act as prime form. Crawford's melodic fragments all belong to the CSEG-class with prime-form <0231>.

The CSEG-classes for CSEGs of three and four notes are listed in Figure 3-13 (the CSEG-classes proliferate rapidly after that). Approaching contour in this way permits us to discuss musical shapes and gestures with clarity, but without having to rely on more difficult discriminations of pitches, pitch-classes, and their intervals. Contour can be particularly revealing, however, when studied in relationship to pitch and pitch class. There, it becomes possible to discuss similarities of shape in the presentation of different set classes and, conversely, the divergent shapes given to members of the same set class.

Contour can also be useful in talking about musical elements other than pitch. In Example 3-15, a measure from a piano piece by Stockhausen, the right-hand melody (D7-C♯6-C5-G5) and its dynamics (ff-fp-p-p) can both be understood as expressing CSEG <3201>. Just as the pitches move from highest to second-highest


Name	Prime-form
3-1	<012>
3-2	<021>
4-1	<0123>
4-2	<0132>
4-3	<0213>
4-4	<0231>
4-5	<0312>
4-6	<0321>
4-7	<1032>
4-8	<1302>

Figure 3-13

to lowest to second-lowest, the dynamics move from loudest to second-loudest to softest to second-softest. The pitch contour and the dynamic contour are the same.

Example 3-15 Same contour, CSEG <3201>, expressed in both pitch and dynamics (Stockhausen, *Klavierstück II*, m. 14).


Contour can be particularly valuable as a way of talking about music that is indefinite as to pitch, like a lot of experimental music written since 1950. Example 3-16 shows the opening of Morton Feldman's *Projection No. 1 for Solo Cello*. The dotted lines function as barlines, and each measure contains four beats (at a tempo of beat = 72). Each square or rectangle indicates a musical event, and the duration of the event is shown by the length of the rectangles, which last for between one and five beats in this passage. There are three different timbres indicated (diamond = harmonics; P = pizzicato; A = arco) and, within each timbre, relative pitch is indicated by the vertical position of the square or rectangle. The first three pizzicato notes, for example, fall in a middle register, a low register, and then a high register—they thus describe CSEG <102>. Now consider the temporal distance between the pizzicato notes: four beats from the first note to the second; one beat from the second to the third; and eight beats from the third to the fourth. That durational contour also can be described by CSEG <102>: a medium duration followed by a short duration and then a long duration. Similar kinds of patterning can be found elsewhere in the piece, structuring the pitches and the durations both independently and in relation to each other.



Example 3-16 Same contour, CSEEG <102> expressed by both pitch and duration (Feldman, *Projection No. 1 for Solo Cello*).

A complete piece by John Cage is shown in Example 3-17. The piece consists of four events, indicated by dots, and these occur at the times indicated below the graphics—the first two events occur between thirty-six and sixty seconds after the beginning of the piece and the third and fourth events occur between 1:24 and 1:36. The first two events are to be played in some way that does not involve the piano (that is the meaning of the letter A for “auxiliary sounds”) while the last two events are to

All are different, which may suggest the structural heterogeneity of this work, its resistance to analytical coherence. By contrast, the dynamic and timbre contours are inversions of each other, that is, the louder the note the least rich in overtones, and the richer in overtones the softer. That may suggest some degree of coordination among the dimensions. Either way, contour provides a useful vantage point for apprehending the piece.



Example 3-17 Contours of duration, dynamics, pitch, and timbre (Cage, *For Paul Taylor and Anita Dencks*).

Composing-Out

To organize the larger musical spans and draw together notes that may be separated in time, composers of post-tonal music sometimes enlarge the motives of the musical surface and project them over significant musical distances. This musical procedure is sometimes called *composing-out*—we would say that a motive from the musical surface is *composed-out* at a deeper level of structure (other related terms are “enlargement,” “concealed repetition,” “motivic parallelism,” “nesting,” and “self-similarity”).

Example 3-18 shows the first four vocal phrases of a song by Webern. The melody begins with four notes: D–D $\flat$ –E $\flat$ –G $\flat$. The same notes, in the same order, are composed-out as the first notes of the four vocal phrases (Example 3-18A). A somewhat more subtle kind of composing-out involves the last four notes of the first phrase: F–A $\flat$ –E–B $\flat$ (Example 3-18B). These return, reordered and transposed at T,

von - men - Trä - nen...

D - D $\flat$ - E $\flat$ - G $\flat$

Die - ist ein Lied für dich al - lein

von kin - di - sehen Wäh - nen

Durch Mor - gen - gü - ten klingt es

Tempo

b.

Fließend. ($\text{♩} = 80$) *Zart bewegt*.

von - men - Trä - nen...

Die - ist ein Lied für dich al - lein

von kin - di - sehen Wäh - nen

Durch Mor - gen - gü - ten klingt es

Tempo

[E, F, A $\flat$, B $\flat$] 4-15 (0146)

[B $\flat$, B, D, E] 4-15 (0146)

Example 3-18 Composing-out (Webern, *Song, Op. 3, No. 1*).

In the aria from Thea Musgrave's *Mary Queen of Scots* shown in Example 3-19, the accompaniment consists of a single chord, E₃-A-D, which is transposed downward and then back up to its starting point. The same three notes, although in different order and registral arrangement, are also stated as the long notes within the vocal line. Two additional statements of the same set class—3-5 (016)—may be found within the vocal line, and these are indicated in Example 3-19. In this way, the notes of a harmony are composed-out melodically over the span of an entire phrase.

Example 3-19 Composing-out (Musgrave, *Mary, Queen of Scots*, excerpt from Act III).

Example 3-20 reproduces the first section of the first of Schoenberg's Piano Pieces, Op. 11, a passage we have already looked at several times. We noted previously the extent to which set class 3-3 (014) pervades the musical surface. Example 3-20 shows two large-scale statements of the same set class, one in the upper voice and one in the bass. As we observed in Chapter 2, the three melodic high points, B-G-G[♯], constitute a large-scale statement of set class 3-3. These three pitches, widely separated in time, are associated by their shared register and contour position. Furthermore, these are the same three pitches with which the piece began.

A similar thing happens in the bass. The left-hand part begins with two chords (measures 2-3); the bass notes are G^b and B₃. After contrasting material, two more chords are heard at the end of the section (measures 10-11); the bass notes now are G^b and G. That final G completes a large-scale statement of another form of set class 3-3. These three pitches, G^b-B₃-G, are associated by their shared register and articu-

Example 3-21a Composing-out (Stravinsky, *Les Noces*, Op. 41, NO. 1).

lation. Like the large-scale melodic statement, this large-scale bass statement draws together and unifies this section of music.

Linear projections of this kind may extend over very large spans of music, including entire pieces. Stravinsky's ballet *Les Noces* (*The Wedding*) begins with the melody in Example 3-21a, which consists of [B, D, E] (the grace note F[♯] is excluded). At the beginning of the third scene of the ballet, that set is transposed two semitones higher and repeated with extraordinary insistence (Example 3-21b). The ballet concludes with a protracted coda that consists of slow, obsessive repetitions of still another transposition of the original fragment, now five semitones below the original: [G[♯], B, C[♯]] (Example 3-21c). The large-scale progression, one that spans the entire ballet, thus composes-out the intervallic shape of the original motive (Example 3-21d). Here is composing-out over a truly monumental span!

a. $M.M. \downarrow = \infty$

b.

c. *sempre ben marcato*

d.

Example 3-21 Composing-out (Stravinsky, *Les Noces*).

#1

Voice Leading

pc sets that belong to the same set class

One useful way of describing the voice leading of post-tonal music involves attending to the pitch-class counterpoint created by transposition and inversion. As we have seen, transposition and inversion involve mapping notes from one set to the next. Those mappings can be understood to comprise post-tonal voices, which move through the musical texture.

In Example 3-22, from a song by Webern, the boxed chords are all members of set-class 3-5 (016).

1)

2)

3)

Example 3-22 Transformational voice leading (Webern, Songs, Op. 14, "Die Sonne," mm. 23-24).

The horizontal and diagonal lines trace the pitch-class mappings induced by the specified operations. Three voices move through the progression. One begins on E and moves down to the bottom of the third chord before returning to its original position in the highest register. The middle and lowest voices also move through the chords and return to their original position at the end. The second level of the analysis simplifies the five-chord progression into two inversions moves, each of which exchanges the vocal part with the lowest sounding part. Finally, the third level describes the progression as the transposition at T_8 (actually a pitch transposition

Some Additional Relationships

down four semitones) of the first chord onto the last chord. At each level, the harmonies are bound together by the motions of the voices.

The passage in Example 3-23, from Webern's *Movements for String Quartet*, Op. 5, No. 3, consists of groups of two or three chords, all members of set-class 3-3-(014), interspersed with canonic interjections.

The musical score is for the song "Schub bewagt" (Op. 84) by Franz Schubert. It is written for voice and piano. The score is in 3/4 time and consists of 84 measures. The key signature is one flat (B-flat). The tempo is marked "Andante". The score is divided into two systems. The first system contains measures 1 through 42, and the second system contains measures 43 through 84. The vocal part is written for a male voice (Soprano or Alto). The piano accompaniment is written for a grand piano. The score includes various musical notations such as notes, rests, accidentals, and dynamic markings (e.g., *pp*, *f*, *ppz*, *arco*, *arco marc.*). The lyrics are in German and are written below the vocal line. The score is a high-resolution scan of a printed musical score, showing clear notation and dynamics.

Vln. 1
 Vln. 2
 Viola
 Cello

1 2 3 4 5 6

(01258)
 ①
 (01258)
 ②
 (01347)
 ③
 (01347)
 ④
 (01347)
 ⑤
 (01348)
 ⑥

C	4	B
E $\flat$	5	A $\flat$
B $\flat$	5	D $\sharp$
E	6	B $\flat$

The instrumentation and registration of the chords reflects their voice leading to a remarkable degree, exclusively so in the first violin, and one with one brief voice crossing in the second violin and viola.

The second level of the analysis isolates one chord from each group of chords: the first chord from the first group and the last chord in each group thereafter. The intervals of transposition— T_1 , T_3 , and T_4 —are the same as the intervals contained within set-class 3-3 (014), which is the chord being transposed. The voice leading thus follows a motivic path.

The second level of the analysis isolates one chord from each group of chords: the first chord from the first group and the last chord in each group thereafter. The chords of transposition— T_1 , T_3 , and T_4 —are the same as the intervals contained in set-class 3-3 (014), which is the chord being transposed. The voice leading follows a motivic path.

Another movement from the same piece also involves a progression of chords in the upper three instruments (see Example 3-24). These six chords represent three different set classes: the first and second chords are related by transposition, as are the third, fourth, and fifth chords. The analytical problem is to connect the second chord to the third and the fifth chord to the sixth. In a situation like this, it may be useful to imagine that the chords are almost-but-not-quite related by transposition (or inversion). In the progression from the second chord to the third, we can describe the relationship as a quasi- T_2 or a $f(xzy)-T_2$; three of the voices deviate from T_2 , but they do so as little as possible, by only a semitone each (Example 3-24a). In moving from the fifth chord to the sixth, the deviation from an actual transposition is even smaller—only one voice is off, and it's off by only one semitone. Transpositions (or

inversions) that are a bit off are designated with an asterisk and the amount of the deviation, known as the *offset*, is indicated in parentheses. In the voice leading, actual mappings are shown with a solid line, fuzzy mappings with a dotted line.

In this passage, the individual transpositional moves combine to create a single, larger transpositional move: from the first chord to the last is a fuzzy-transposition at $*I_5$, with an extremely small offset of only two semitones (Example 3–24b). The progression as a whole, embracing members of three different scale classes, can thus be heard as a single, unified gesture, with clear, parallel voice leading.

Of course, the voice leading does not have to be parallel. In the passage shown in Example 3-25, there are five chords representing four different set classes. The

fuzzy transpositions and inversions that connect the chords produce a voice leading in which the voices cross.

3-3 (014)

3-5 (016) 3-7 (025)

3-4 (015) 3-3 (014)

(Piano Sonata, first movement).



Atonal Pitch Space

In discussing voice leading, we were talking about actual sets of pitch classes and the ways in which individual notes in one set move onto individual notes in another. It is also possible to talk more abstractly about the voice leading between and among set classes. Given a set belonging to one set class, we might ask how much semitonal adjustment would be necessary to turn it into a member of a different set class.

As an example, take the trichord $[G, A, B]$, a member of $sc(024)$. Let's see what happens if we adjust each of its notes, in turn, either up or down by semitone. We would get six different trichords representing three different set classes:

- $[G\sharp, A, B] = (013)$
- $[F\sharp, A, B] = (025)$
- $[G, A\flat, B] = (014)$
- $[G, B\flat, B] = (014)$
- $[G, A, B\flat] = (013)$
- $[G, A, C] = (025)$

In general terms, we can say that $sc(024)$ is offset by a distance of only one voice-leading semitone from $sc(013)$, $sc(014)$, and $sc(025)$. If we applied the same procedure to all of the trichord-classes, we would end up with a map like the one in Example 3-26.



Example 3-26 Voice-leading space for trichords.

In this *voice-leading space*, the trichords are shown in relative proximity to each other. The closer two trichords are on the map, the less semitonal distance there is between them. Each line on the map represents one semitone of offset (that is, one semitone of voice-leading adjustment or voice-leading distance), and the distances accumulate in a consistent way. From (012), one semitone of offset will take you to (013), two semitones of offset will take you to (014) or (024), three semitones of offset will take you to (015) or (025), and so on, up to the maximum of six semitones of offset between (012) and (048).

As the size of the sets increases, it becomes harder to represent the space on a two-dimensional page. But the trichordal map in Example 3-26 suggests the

possibility of understanding a passage of music as a journey through a voice leading space defined by semitonal offset—sometimes the moves will be to nearby destinations, involving only a small amount of adjustment; other times the music may make large harmonic leaps.

BIBLIOGRAPHY

Common tones under transposition and inversion are discussed in Forte, *The Structure of Atonal Music*, pp. 29–46, and Rahn, *Basic Atonal Theory*, pp. 97–115. Robert Morris has demonstrated the use of addition tables to discuss common tones under inversion in his review of Rahn's book in *Music Theory Spectrum* 4 (1982), pp. 138–55, and again in his own *Composition with Pitch Classes*. For a more general discussion of matrices of this kind, see Bo Alphonse, *The Invariance Matrix* (Ph.D. dissertation, Yale University, 1974).

label "Z" to refer to this relationship is a coinage of Allen Forte's (see *The Structure of Atonal Music*, pp. 21–24).

The intervallic relationship of complementary sets was first discovered by Milton Babbitt with regard to hexachords. Generalizing this relationship to sets of other sizes was the work of Babbitt and Lewin (see Lewin's "The Intervallic Content of a Collection of Notes"). Babbitt discusses the development of his theorem about hexachords and its subsequent generalization in *Milton Babbitt: Words About Music*, ed. Stephen Dembski and Joseph N. Straus (Madison: University of Wisconsin Press, 1987), pp. 104–6.

Subset and superset relations are discussed in Forte, *The Structure of Atonal Music*, pp. 24–29, and Rahn, *Basic Atonal Theory*, pp. 115–17.

The term "transpositional combination" and its theoretical development are the work of Richard Cohn. See his "Inversional Symmetry and Transpositional Combination in Bartók," *Music Theory Spectrum* 10 (1988), pp. 19–42.

My discussion of contour is based on Robert Morris, *Composition with Pitch Classes* (New Haven: Yale University Press, 1987), pp. 26–33, and "New Directions in the

Theory and Analysis of Musical Contour," *Music Theory Spectrum* 15/2 (1993), pp. 205–28; Michael Friedmann, "A Methodology for the Discussion of Contour: Its Application to Schoenberg's Music," *Journal of Music Theory* 29/2 (1985), pp. 223–48; Elizabeth West Marvin and Paul Laprade, "Relating Musical Contours: Extensions of a Theory for Contour," *Journal of Music Theory* 31/2 (1987), pp. 225–67 (see also in same issue, Michael Friedmann, "A Response: My Contour, Their Contour," pp. 268–74); and Elizabeth West Marvin, "The Perception of Rhythm in Non-Tonal Music: Rhythmic Contours in the Music of Edgard Varese," *Music Theory Spectrum* 13/1 (1991), pp. 61–78.

On composing-out in post-tonal music, see Allen Forte, "New Approaches to the Linear Analysis of Music," *Journal of the American Musicological Society* 41/2 (1988), pp. 315–48, and "Concepts of Linearity in Schoenberg's Atonal Music: A Study of the Opus 15 Song Cycle," *Journal of Music Theory* 36/2 (1992), pp. 285–382; Christopher Hasty, "On the Problem of Succession and Continuity in Twentieth-Century Music," *Music Theory Spectrum* 8 (1986), pp. 58–74, and Leonard N. Steiner, "A Theory of

musical composition: spaces and other territories," *Perspectives of New Music* 33/1–2 (1995), pp. 328–58; "Equivalence and Similarity in Pitch and Their Interaction with Pset Theory," *Journal of Music Theory* 39/2 (1995), pp. 207–44; and "Voice-Leading Spaces," *Music Theory Spectrum* 20/2 (1998), pp. 175–208. See also Shagan O'Donnell, "Transformational Voice Leading in Atonal Music" (Ph.D. dissertation, City University of New York, 1997); John Roeder, "A Theory of Voice Leading for Atonal Music" (Ph.D. dissertation, Yale University, 1984); "Harmonic Implications of Schoenberg's Observations of Atonal Voice Leading," *Journal of Music Theory* 33/1 (1989), pp. 27–62; "Voice Leading as Transformation," *Musical Transformation and Musical Intuition: Essays in Honor of David Lewin*, ed. Raphael Atlas and Michael Cherlin (Boston: Olevbird Press, 1995), pp. 41–58; and Henry Klumpenhouwer, "A Generalized Model of Voice-Leading for Atonal Music" (Ph.D. dissertation, Harvard University, 1991). My own views are presented in "Voice Leading in Atonal Music," *Music Theory in Concept and Practice*, ed. James Baker, David Beach, and Jonathan Bernard (Rochester: University of Rochester Press, 1997), pp. 237–74, and "Uniformity, Balance, and Smoothness in Atonal Voice Leading," *Music Theory Spectrum* 25/2 (2003), pp. 305–52.

The term "atonal pitch space" is adapted from Fred Lerdahl, *Tonal Pitch Space* (Oxford: Oxford University Press, 2001), which also contains a discussion of post-tonal voice leading. See also Richard Cohn, "A Tetrahedral Graph of Tetrachordal Voice-Leading Space," *Music Theory Online* 9 (2003).